

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
1	2.8.			
2	60	43.59.62.83.		1
3	4.7.8.			
4	32.40. (41 OR 42)	29.31.33.		3.
5	7.31.	30		
6	7.30			
7	40.42.	37.44.83. (28W 33R)	30.31. 28 32 (29W 33N)	3.5.6.
8		44.66.67.68.83.	42.43.59.60.61.62.	1.3.
			(40W 42R)	
9	32.33.	29.35.		
10		31.33.34.35.		
11	34.	35		
12	35	33.34.39.64.	36.	
13	34.35	39.64.	36	
14	(36 OR 40.41)	39.62.64. (28W 33.42N. 36R)	33.63. (29 W 33R OR 41R)	
		(37W 33R OR 41R)	34 (34 W 36R)	
15		39.62.64. (38W 36R) (83W 63N)	36.41.63. (40W 41R)	
16	60.62.	43.59.63.83.		
17	60.65.	43.59.		
18		39.70.83.	62.63.65. (61W 62R)	
19	22. (20W 23R)	25.79.93. (74W 23.78N)	(75W 23.78N)	
		(80W 23N 78R) (82W 23.75.78N)	(77W 23N. 78R) (78W 23N)	
		(81.86W 23N)		
20	23 (21W 24R)	25.26. (71.72.76.78 W 24N) (75W 24.71N)	22. (77W 24N)	(19)
21	24	26.27. (25W 23R)	23	(20)
22		46.55.95. (59.74.91.97 W 54N)		19.
X	ORIGINAL DRAWN: 7. 1946	BANBURY JCN		
W	ISSUED: 2. 10. 1957			
	REG No. 870A	LOCKING TABLE		S 2746 /3/1

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
23		55.79.		20.
24		71.72.		21.27.
25		19.20. (21W 23R)(52.53 W 55R)	22.23.55. (59W 55R)	
26		20.21.	23.24. (22W 23R)	
			(75W 24.77N)	
			(76.77.78 W 24N)	
27	24	21.	23.	
28	29.32. (40W 33N)	37.89. (7W 33R)(14W 33.42N. 36R)	(35.36W 33R)	
		(39.64 W 33.42N)		
29		4.9.31.54.		28.37.
30	31	5		6.
31		4.10.29.33.34.35.41.		5.30.44.
32			33	4.9.28.
33		4.10.12.31.34.41.		9.38.
34		10.12.31.33.		11.13.
35		9.10.11.31.		12.13.36.
36	35	41		(14)39.64.
37	29.	7.28. (14W 33R OR 41R)	33.40.41.42. (60.61W 42R)	38.
38	33.37.	(15W 36R)	35.36. (62.63.65 W 36R)	(39)(64)
39	36 (38W 33R)	12.13.14.15.18.62.63. (28W 33.42N)	34.	
40	(60W 42R)		42	4.7.(14)(28)
41		31.33.36.42.		(4)(14)
42	43	41.59.62.		(4).7.44.
43		2.16.17.		42.54.
44	31.42.	7.8.	30.40.60.61.	
45	55 (52 OR 53)			
X	ORIGINAL DRAWN:	BANBURY JCN		
	ISSUED:			
W	REG No.	LOCKING TABLE		S 2746/3/2

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
46	(51 or 52 or 53)	22.54.55.	55 ^S	
47	54 (51 or 52 or 53)			
48	] PERMANENT SPACES			
49				
50				
51	74. (73 w 75R)	84.85.87. (80w76R)(82w75.76N)	54.76.	(46)(47)
		(89w54R) (93w54.55N)		
52	59.61.	62.66.67.68.83. (25w55R)	54.55.	(45)(46)(47)
		(89w54R) (93w54.55N)		
53	59.61.62. (65w63R)	66.67.68. (25w55R)(83w65N)	54.55.	(45)
		(89w54R) (93w54.55N)		
54	43.	29.46.55.67.85.94.95. (80w76R)		47.68.84.87.90.
55		22.23.46.54.67.74.79.95.		45.66. (80)88
56			54.55.	66.67.68.84.85.87.88.
57	X			90.91.94.95.97.
58	X + DET?			
59		2.16.17.42.74.88.90.91.95.97.		52.53.66.67.68.
		(22w54N)		
60	61			2.16.17. (40)
61			62	52.53.60.
62		2.14.15.39.42.52.64.		16.53.65.70.
63		16.39.70.		64.65.
64	36.63. (38w33R)	12.13.14.15.62. (28w33.42N)	34	
65	62.63.			17. (53)69.
66	55.56.59.	8.52.53.	61.62.65. (63w62R)	(69)(70)
67	56.59	8.52.53.54.55.	61.62.65. (63w62R)	(69)(70)
X	ORIGINAL DRAWN:	BANBURY JCN		
W	ISSUED:			
	REG No.	LOCKING TABLE		S 2746 /3/3

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
68	54.56.59.	8.52.53.	61.62.65. (63 w 62R)	(69)(70)
69	65 (66 or 67 or 68)			
70	62 (66 or 67 or 68)	18.63.		
71	77	78. (20 w 24N)		
72		24.75.76.77.78. (20 w 24N)		
73	75	86.87.94. (79 w 78N)	74. (22.23.55 w 74N)	(51)
			(54 w 74R)	
74		55.59.81.90.91.95.97. (19 w 23.78N)		51.76.(78)84.85.(87)
		(22 w 54N)(86 w 75R)		94.
75		72.76.81.84.85. (20 w 24.77N)		73.(86)(87)94.
76	74	72.75.77.78.84.85. (20 w 24N)		(80)(87)
77		72.76. (86 w 75N)		71(78)(80)
78	(74.77 w 75R)	71.72.76.81. (20 w 24N)		(80)(86)
79	.	19.23.55. (73 w 78N)	22.78. (74.75.76 w 78N)	
			(77 w 78R)	
80	(55 w 76R)(76 or 77 or 78)	(19 w 23N.78R)(51.54 w 76R)		
81		74.75.78. (19 w 23N)		
82		91.97. (19 w 23.75.78N)(51 w 75.76N)		92.96.
83		2.7.8.16.18.52.96.97.		91.92.
		(15 w 63N)(53 w 65N)		
84	54.56.74.	51.75.76.		
85	56.74.	51.54.75.76.		
86	(75 or 78)	73. (19 w 23N)(74 w 75R)(77 w 75N)		
87	54.56. (74.75 or 76)	51.73.		
88	55.56.	59.		
89		28. (51.52.53 w 54R)	29	
X	ORIGINAL DRAWN:	BANBURY JCN		
W	ISSUED:			
	REG No.	LOCKING TABLE		S 2746 /3/4

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
90	54.56.	59.74.		
91	56.83.	59.74.82. (22W54N)		
92	82.83.			
93		19. (51.52.53. W 54.55N)	22. (59.74.76 W 54N)	98
			(75 W 54N. 74 R)	
94	56.74.75.	54.73.		
95	56	22.54.55.59.74.		98
96	82	83		
97	56	59.74.82.83. (22 W 54N)		98
98	93.95.97.			
	V.T. 3 BAR (5 BAR	LOCKING)		
	LOCKS, GW 42 ONM (N)	2.7.8.89.90.93.95. 80.85.88.94.	84.87.	
	LOCK & C.C. (NB)	91.92.96.97		
	(NBDR)	82.83.		
	CONTACTS (4 SPRING)	1.3.98.54.76.		
	SHORT LEVERS	82.83.98.		
	LOCKS (R) WITH RE			
	& LCC	32.56.		
		new?		
	Removal of B/W locking on 32??			
X	ORIGINAL DRAWN:	BANBURY JCN		
W	ISSUED:			
	REG No.	LOCKING TABLE		S 2746 /3/5