

No	RELEASED BY	LOCKS	NORMAL	LOCKS	BOTH WAYS	RELEASES
1	3.4.5.					
2	x					
3	33	19.22.26.35.39				1
4	33	20.23.26.35.37		19.22		1
5		(24w28R)(24w36R)(27.38w36R)		28.35.36 (26w36R)		1
6	33.36	20.23.26.35.39.		19.22.		
7	DETONATOR					
8	DETONATOR					
9	10.11.12					
10	55	37.45.48.53				9
11	55	37.46.48.53		45		9
12		39.49	(27.38w36R)	36.48.(26.35w36R)(53.54w36R)		9
13	x					
14	x					
15	x					
16	x					
17		19.				
18	19.33	20.				
19		3.17.22.26.35				18.20.
20	19	4.6.18.		36		(39)
21	22.33	23.67.				
22		3.19.26.35.53.68.72				21.23.
23	22	4.6.21.		36		(39)
24	26(33w28N)	27.29.68	(5w28R)(5w36R)	28		
25	x					
26		3.4.6.19.22.35.53.72.73				24.27.28
X	ORIGINAL DRAWN: 1932 ISSUED: 22 OCT 1952	KNOWLE & DORRIDGE				MRI 11.02
W	REG No. 889	LOCKING TABLE				S 2768/3/1

No	RELEASED BY	LOCKS	NORMAL	LOCKS BOTH WAYS	RELEASES
27	26	24.28.	(5.12 w 36R)	36	(39)
28	26	27.37			29.
29	28	24.			
30	33.35	37.38			
31	33.35.36	38			
32	X				
33	(34 w 36R)			36	3.4.6.18.21.(24).30.31
34				37	(33)39.72.73
35		3.4.6.19.22.26			30.31.38
36	37				6.31.39.
37		4.10.11.28.30.45.48.72.73			36
38	35	30.31	(5.12 w 36R)	36	(39)
39	34.36(20w19R)(23w22R)(27w26R)(38w35R)	3.6.12.			
40	X				
41	43(42w45R)(47w48R)(50w51R)(58w54R)	65	(70w45.51N)		
42	45.55	46.63		43	(41)
43		64.			41.62
44				43	46.49.52.62.64.65
45		10.37.48.51.53.62.64.65			42.46.
46	44.45	11.42	(63w43R)		
47	48.55	49.62.64.		43	(41)
48		10.11.37.45.51.53.65.70			47.49
49	44.48	12.47.			
50	51.	52.62.64.		43	(41)(41)
51		45.48.65	(70w51N)		50.52.
52	44.51	50.			
X	ORIGINAL DRAWN:				MRLI 11.02
W	ISSUED:				
	REG No.	LOCKING TABLE			S 2768/3/2

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
53		10.11.22.26.45.48.65.72.73		54
54	53			69.70
55			53	10.11.42.47(56)
56	(55w54r)		54	65.69
57	X			
58	X			
59	X			
60	X			
61	DETONATOR			
62	43.44	45.47.50.	48.51 (54w51n)	
63		42 (46w43r)	43.45.	71
64	44	43.45.47.50.	48.51 (54w51n)	71
65	44.56	41.45.48.51.53.		71
66	DETONATOR			
67		21.	22	74
68		22.24.	26.28.54 (37w54n)	74
69	54.56			
70	54.	48 (41w45.51n) (51w54n)		71
71	63.64.65.70			
72	34	22.26.37.53		74
73	34	26.37.53		74
74	67.68.72.73			
	ELECTRIC LOCK (N)	4.5.6.11.12. 63.64.65.68.67.69.72	4 SP CONTACT (2N2R)	1.9.71.74
	(R) WITH (RD)	34.33.55.56.44.	(4R)	36.54
	(N) WITH (N)	3.10.70.73	SHORT LEVER	71.74.
X	ORIGINAL DRAWN: 1932	KNOWLE & DORRIDGE		MRLD 11.02
W	ISSUED: 22 OCT 1952			
	REG No. 889	LOCKING TABLE		S 2768/3/3