

No.	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
1		4.6.9.16.20.28.34.40.42.45.47.48.14.		
2				
3	4.5.			
4	21	1.23.24.31.		3
5		27 (20w 24R)	1.21.23.24.31	3
6	21.24.	1.23		
7	DETONATOR			
8	9.10.			
9		1.17.24.32.14.		8
10		18.34 (20w 24N) (27w 24R)	1.17.24.32 (21.23w 24R) 14	8
11 TO 13	X			
14		1.9.17.24.32		
15	DETONATOR			
16	17	1.18		
17		9.24.32.14.		16.18.
18	17	10.16	1.	
19	20.22			
20	21.23.	1.27.46 (5w 24R) (10w 24N)	22.25.	19
21			24	4.6.20
22		47.48.		19.40.45.
23		4.6.31.45.48.		20.27
24		4.9.17.32.42.14		6.28.
25			22	26.27(33)
26	25			45.48

X ORIGINAL DRAWN: (n.d.)
 W REG No. L 889B
 ISSUED: 19.10.1946

BENTLEY HEATH CROSSING
 LOCKING TABLE

S 2770/3

No.	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
27	23.25.	5.20. (10 24R)(46W22R)	1.21.24	28.
28	24.27	1		
29	X			
30	32	34.41. (46W3 R)	1.31.33	
31		4.23.42.45.48		40.47.
32		9.17.24.40.42.47.14		30.34
33	(25W3 R)		31	34.40.42.47.
34	32.33	1.10.30 (41W3 R)(46W3 N)(46W22.3 R)		
35	DETONATOR			
36	39 X			
40	22.31.33	1.32		
41		30 (34W3 R)	1.24.31.32.33	43
42	33	1.24.31.32		43
43	41.42.			
44	DETONATOR			
45	26.22	1.23.31		
46		20. (27W22R)(30W3 R)(34W3 N)(34W22.3 R)	1.22.23.25.26.31 (32.33W3 R)	49.
47	31.33	1.22.32		
48	26	1.22.23.31.		49
49	46.48			
	ANNETT'S LOCK 'A' PATTERN : 14			
	ELECTRIC LOCK (N) - VERTICAL - (5D.58): 4.5.6.9.10.41.46			
	CONTACTS & SPRING (5D.40): 3.8.43.49			
	PRINT ISSUED FOR REMOVAL OF LOCKING ON LEVERS 30.32.34: TO BECOME SPARE			

X ORIGINAL DRAWN: (n.d.) (532/148)
 W ISSUED: 19.10.1946
 REC No. 1899B

BENTLEY HEATH CROSSING
 LOCKING TABLE

S 2770/3

BENTLEY HEATH CROSSING

LEVER	RELEASED BY	LOCKS INORMAL	LOCKS BOTH WAYS	RELEASES
		<u>LOCKS TO COME OFF</u>		
20			25	
25				26
26	25			45, 48.
45	26			
46			25, 26.	
48	26			
		<u>LOCKS TO GO ON</u>		
25				45, 48.
45	25			
48	25			
		LEVER 26 TO BECOME SPARE.	42 & LOCK (R) WITH RD CONTACTS TO BE	FITTED TO 25

ABOVE FOR AM. SERIAL 'A', DERIVED FROM DOG CHART. ISSUED 27.1.56 (XW)

	<u>LOCKS TO COME OFF</u>		
41		31, 33	
46		(33W 31R)	

ABOVE FOR AM. SERIAL 'B', PRESUME ALREADY CARRIED ^{OUT} PRIOR TO ALTERATIONS BELOW.

	<u>LOCKS TO COME OFF</u>		
1		28	
4	21	24	
5		(20W 24R)	21, 24.
6	21, 24.	23,	
9		24	
10		(20W 24N) (27W 24R)	24 (21, 23 W 24R)
14		24	
17		24.	
20	21	(5W 24R) (10W 24N)	
21			24.
23		6.	
24.		4, 9, 14, 17, 42.	
27		(10W 24R)	21, 24.
28	24, 27.	1.	
41			24.
42		24.	
		LEVERS 6, 21, 24, 28 TO BECOME SPARE	

ABOVE FOR AM. SERIAL 'E', DERIVED FOR DOG CHART ISSUED (R.S.) 13 DEC 1962, 'RECEIVED 17/12/62' (XW)

MRLI 3.86

S 2770/3