

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
1	2.3.4.5			
2	(3N ESL)	12. (27W 15.21N)		1
3	25. (4NMSL)	12.15.21.26.27		1
4	25.28. (29W 26N 30R)	13.15.21.26	12	1
	(5NMSL)			1
5	28.29	16.22. (20W 26R)	15.21	
6	25.26	13.15.21.27	12	
7-9	x			
10	DET			
11	12.25	13.36		
12		2.3.15.18.21.37.38		11.13
13	12	4.6.11	26	(27)
14	15.25. (28W 26N)	16		
	(29W 26N 30R)			
15		3.4.6.12.21		14.16
16	15	5.14	26.29	(27)
17	18	19.37		
18		12.21.38.39		17.19
19	18	17		
20	21.25. (28W 26N)	22.37. (5W 26R)		
	(29W 26N 30R)			
21		3.4.6.12.15.18.38.39		20.22
22	21	5.20	26.29	(27)
23-24	x			
25			26	3.4.6.11.14.20
26		3.4		6.27

2
8
2

ORIGINAL DRAWN:
ISSUED:

REG No.

COLWALL
LOCKING TABLE

S 2618 /3/1

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
	<u>LOCKS OFF</u>			
2		26		
4		(20w 23or 26R)	23	
15		26		
20	(25w 23N)	24. (4w 23or 26R)	23	
22		23		
23	21	22. 26		
24	23	20		
25	(28w 26N)			
26		2. 15. 23		
37			23	
	<u>LOCKS ON</u>			
2		27		
3	28			
4		(20w 26R)		
5		15		
14	(28w 26N)			
15		5		
16			26	(27)
20	25 (28w 26N)	(4w 26R)		
25				20
27	(16w 15R)	2		
28				3. (14). (20)
	(23 & 24 TO BECOME SPACES: FOR RJ1)			

2 ORIGINAL DRAWN: 30-8-26
8 ISSUED:
2

2 REG No

COLWALL
LOCKING TABLE

S 2618 / 3