

No	RELEASED BY	LOC S NORMAL	LOCKS BOTH WAYS	RELEASES
1-2	x			
3	(8NMSL)	6.21.25.42.45.48		
4	24. (8NMSL)	26.48		
5	21	7.8.20		(12)
6		3.8.21.25.42	45	(13)
7	21. (8NMSL)	5.20.45.48		
8	(10NMSL)	5.6.22.26.43.45.48	20.21.25.42	
9	44	48		
10		48	44.45	
11	DET.			
12	(5 or 22)			(13)
13	(6 or 12 or 26)			
14	(15 or 18)	19		
15		16.20	19	(14)(17)
16	19	15.18	20	(22)
17	19. (15 or 18)			
18	20	16.22.48	19	(14)(17)
19		14.53		16.17.
20	21	5.7.15.45		18.22.
21		3.6.25.42		5.7.20.
22	20. (16W 19R)	8.18		(12)
23	x			
24	25			4
25		3.6.21.40.42.45		24.26
26	25	4.8		(13)
27	x			

X W	ORIGINAL DRAWN: ISSUED: A	PONTYPOOL RD STN NORTH LOCKING TABLE	S 1255 / 3 / 1
	REG No.		

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
28		38.40.60.63.64		29
29	28.(33w42r)	46.61.62	34.35	
30	38	50.59.64		32
31		43.50.57.58.59.60.61.62.63.(64w40w)		
32	30.(33w42r)	46.57.58	36.37	
33	42	43.48.50.59.60.63	28.30.38	(29)(32)
34		35.36		62.(63).(64)
35		34.36.37		61.(63).(64)
36		34.35.37		57.(59).(64)
37		35.36		58.(59).(64)
38		28.40.60.63		30.50.59
39	x			
40		25.28.38.42.46.60.63		55
41			38.40	43.50.55.59.60.63.64
42		3.6.21.25.40.45.64		33.43
43	41.42	8.31.33		
44	45			9.(48)
45		3.7.8.20.25.42		44.46
46	45	29.32.40.64		54
47			46	54.64
48	(44w45r)	3.4.7.8.9.10.18.33	42	
49	x			
50	38.41	30.31.33.57.58.59.64	42.46.47	
51	x			
52	DET.			
53		19	46.47	

X ORIGINAL DRAWN :  
ISSUED :  
W REG No.

PONTYPOOL RD STN NORTH  
LOCKING TABLE

S 1255 / 3/2

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
54	46.47			
55	40.41		47	
56	x			
57	36	31.32.50	30.38	
58	37	31.32.50.62	30.38	
59	38.41. (36 or 37)	30.31.33.50	42.46.47	
60	41	28.31.33.38.40.61.62.63.64	42.46.47	
61	35	29.31.60	28.38.40	
62	34	29.31.58.60	28.38.40	65
63	41. (34 or 35)	28.31.33.38.40.60	42.46.47	65
64	41.47. (36 or 37 w 38 R) (34 or 35 w 38.40 N)	28.30.42.46.50.60. (31 w 40 N)		65
	(55.59.63 N MSL)			
65	62.63.64			
	LOCKS "N": 10.34.35.36.37.57.58.59.61.62.63			
	LOCKS "R": 31			
	LOCKS "R" WITH R.D. CONTACT: 24.41			
	2 SPRING CONTACT: 65			
	SHORT LEVERS: 31.34.35.36.37.65			
	NIBS 15/16" -	FORKED BLADES		

**X** ORIGINAL DRAWN: 4-48 G.T.  
 ISSUED: 10-11-60  
**W** REG No.

PONTYPOOL RD STN NORTH  
 LOCKING TABLE

H.T. 5 1/4"  
 S 1255 /3/3