

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
1	26	22.23.44.		
2	23.26.	4.22.24.		
3	24.26.	5.22.	29	
4	23.26.	2.22.24.		
5	24.26.	3.22.	29	
6		15		
7	x			
8	x			
9	x			
10	x			
11	x			
12	x			
13	DETONATOR			
14	15	16.18.53.	17.	
15		6.20.54.55.		14.16.17.
16	15	14.17.		
17	15	16		18.
18	17	14		
19	20	53.56.	29	
20		15.24.54.55.		19.56.
21	22.26. (25W23R)	27.57.62.	(29W24R)	
22		1.2.3.4.5.30.32.36.41.42.44.		21.27.
		58.60.61.63.65.66.67.		
23		1.28.		2.4.24.47.
24	23	2.4.20.47.		3.5.59.64.
25			24	(21)(26)
 ORIGINAL DRAWN: 25.4. 1939 ISSUED: 5.5. 1948 REG No. 1167		HEREFORD STATION		
		LOCKING TABLE		S /3

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
26	(25W 22N. 23R)		22.23.	1.2.3.4.5.21.27.(29)
27	22.26.	21	24.25. (29W 24R)	28.47. 59.64.
28	27	23		
29	(26W 20N)		20	56.59.64.
30	31	22.33.35.37.39.57.58.62.63.	32.34.36.38.	
31		41.42.44.60.61.65.66.67.		30.32.36.58.63.
32	31	22.36.58.63.		33.34.
33	32	30.34.		
34	32	33		35.
35	34	30		
36	31	22.32.58.63.		37.38.
37	36	30.38		
38	36	37		39.
39	38	30		
40		42.44.61.66.67.		41.60.65.
41	40	22.31.57.60.62.65.		
42	(43W 44R)	22.31.40.57.61.62.66.67.		
43	44	45.61.66.		(42)
44		1.22.31.40.67.		43.45.
45	44	43		
46	x			
47	23.27.	24.		
48	x			
49	x			
50	x			
51	x			
 ORIGINAL DRAWN: ISSUED: REG No.		HEREFORD STATION		
		LOCKING TABLE		S /3

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
52	x			
53		14.19.	15.17.20. (29w20R)	
54		15.20.		
55		15.20.		
56	20.29.	19		
57		21.30.41.42.62.63.64.65.66.	22.31.32.34.36.38.40. (23.24.25.26 w 22R)	
58	31	22.30.32.36.62.63.		
59	24.27.29	62.64.		
60	40	22.31.41.62.65.		
61		22.31.40.42.43.62.66.67.	44	
62		21.30.41.42.57.58.59.60.61.	22.31.32.34.36.38.40 (23.24.25.26 w 22R)	
63	31	22.30.32.36.57.58.		
64	24.27.29.	57.59.		
65	40.	22.31.41.57.60.		
66		22.31.40.42.43.57.61.	44.	
67		22.31.40.42.44.61.		
	V.T. 5BAR 4"			
	LOCKS (N)	3.62.63.64.65.66.		
 ORIGINAL DRAWN: ISSUED: REG No.		<u>HEREFORD STATION</u> LOCKING TABLE		
				S /3