

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
1		8.22	13	
2	20	23.57.58. (30.44.60w21r22n) (41w21r22.39n)	21	
3		20.23.55.58. (30.44.60w21r22n) (41w21r22.39n)	21	
4	16.21		20	
5		9.13.15.23.24.38.40	8.22	
6		41.42.43. (26.36w37r)	15.37.38.39.40. (13w40n)	
7	8	9	13	
8		1.22		7.9
9	8	5.7.11.12	13.37.38. (15.40w13n) (14w13r)	
10	17.21		20	
11	38	9.13.23.24.40	8.14.22	
12	13	9.23.24.38	8.14.15.22	
13		5.11.50		12
14		15		
15		5.14.38.40		
16	22	23.24. (55.57w21r)	13.21	4
17	(18w25r). (36w40r)	22.58.59.60. (55.57w21r). (46w25.40n) (43.61w25.40n)	21	10
18	25. (19w29r)	30.49.58.59. (43.61w29n 46r)	22.46.47	(17)
19	29	30.34.35	25.27.28	(18)
20		3.55		2.57
21		24.59		4.10.23.58
22		1.8.17.30.44.58.59.60. (41w39n)		16.23.24
23	21.22. (54w20n). (56w20r)	2.3.5.11.12.16	13.20.37.38. (15.40w13n). (14w13r)	
X	ORIGINAL DRAWN:	HEREFORD BARTON		
W	ISSUED:			
	REG No. 818	LOCKING TABLE		S2263 /3/1

No	RELEASED BY	LOCK	NORMAL	LOCKS BOTH WAYS	RELEASES
24	22	5.11.12.16.21		13.37.38.(15.40w13N).(14w13R)	
25		27.40.60			18.30
26	39.(37w38R)	41.45.(6w37R)		27.(14w37R)	
27		25			
28	29	32.34			35
29		39.48.49			19.28.34
30	25	18.19.22.(2.3w21R22N)		21.28.29	(34).(35)(48)
31	x				
32		28			
33	x				
34	29.(30w25R)	19.28		27	
35	28.(30w25R)	19		27	
36	40.(37w38R)	39.41.44.58.59.(6w37R)		22.(14w37R)	(17)
37	38.40.				(26)(36).44.45
38		5.12.15.41.50			11.37
39	40	29.36.44.48.49			26.45
40		5.11.15.25.60			36.37.39.41
41	40	6.26.36.38.(2.3w21R22.39N)		39.(21w39N).(27w39R)	
		(22w39N).(58.59w39R)			
42		6			
43		6.61.(17w25.40N).(18w29N46R)			
44	37	22.36.39.(2.3w21R22N)		21	
45	37.39	26		27	
46		47.60.(17w25.40N)			49
47		46			
48	(30w25R)	29.39		27.46.47	
X	ORIGINAL DRAWN:		HEREFORD BARTON		
W	ISSUED:				
	REG No. 818		LOCKING TABLE		
			S 2263 /3/2		

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
49	46	18. 29. 39	27. 43	
50		13. 38		
51-53x				
54	INTERLOCKING LEVER			(23). 55. (58)
55	54	3. 20. (16. 17w 21R)	21. (22w 21R)	
56	INTERLOCKING LEVER			(23). 57. (58)
57	20. 56	2. (16. 17w 21R)	21. (22w 21R)	
58	21. (54w 20N). (56w 20R)	2. 3. 17. 18. 22. 36. (41w 39R)	20. 25. 37. 39. 40. (38w 40R) (46w 25. 40N)	
59		17. 18. 21. 22. 36. (41w 39R)	25. 37. 39. 40. (38w 40R) (46w 25. 40N)	
60		17. 22. 25. 40. 46. (2. 3w 21R 22N)	21. 43	
61		43. (17w 25. 40N). (18w 29w 46R)	46	
	'R' LOCK WITH DET CONTACTS :	42. 43		
	N & R LOCK WITH DET CONTACTS & + SPRING CONTACT :	54. 56		
	SHORT LEVERS :	42. 43. 54. 56		
X	ORIGINAL DRAWN : 8-10-41	<u>HEREFORD BARTON</u> LOCKING TABLE		V.T. 5BAR 4" OLD PATT.
W	ISSUED : 22-6-55 (A) REG No. 818			S 2263 / 3/3