

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
1		5.8.11.21.22.		
2	(WHEEL G.L.)			
3	5.6.			
4	x			
5		1.11.15.17.		3
6		16. (10W12R)(13W12N)	11.12.15.17.	3
7	8	9.18.20.		
8		1. 11. 21. 22.		7.18.
9		7. 22.		19.
10	11	13.20. (6W12R)	12.	
11		1.5.8.15.17.21.22.		10.12.13.
12	11			
13	11	10. (6W12N)	12.	
14	15	16		
15		5.11.17.		14.16.
16	15	6.14.		
17		5.11.15.		
18	8	7	9	
19	9		8	
20		7.10.	8.11.12.	23
21		1.8.11.	9.	23
22		1.8.9.11.		23
23	20.21.22.			
	LNW TUMBLER -	3 BAR ADDED FOR CONDITIONS		

X ORIGINAL DRAWN: _____
ISSUED: 3.11.1941
W REG No. 1186

BROMFIELD
LOCKING TABLE

S 2973 / 3

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
W	(I.G.L.)			(2 G.L.)
1		4.10.12.14.18.27.28. (17W16N)		(WHEEL G.L.)
2	(WHEEL G.L.)			
3	4.5.			
4	(5N MSL)	1.11.16.17.		3
5		12.17. (10W13R)	11.13.16.	3
6	x			
7	x			
8	x			
9	DETONATOR			
10	11.	1.12.14.17.24. (5W13R)	13.	
11		4.16.18.27.28.		10.12.13.
12	11	1.5.10.13.		
13	11	12.17.		14
14	13	1.10.		
15	16	17.		
16		4.11.		15.17.
17	16	4.5.10.13.15. (1W16N)	11.16.	
18		1.11.27.28.		25
19		28		26
20	DETONATOR			
21	x			
22	x			
23	x			
24		10.	11.13.18.	29
25	18 (24N MSL)			

X ORIGINAL DRAWN: 15.6.1955
 TABLE ISSUED: 18.4.1956
 W REG No. 1186

BROMFIELD

LOCKING TABLE

S 2973 /3/1

