

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
1	2.3.7.9			
2	(3.10NMSL) 23. (24or25)	22.37		1
3	17.23.24 (7.8NMSL)	22.37		1
4	17.21.24	26.37.68		
5	x			
6	36. (7or8)			
7	17. (24or36)	18.19.37.38. (26w24R)	24. (21.22.23w24R)	1.(6)
8	17.18. (24or36) (16NMSL)	37.38. (26w24R)	19.24. (21.22.23w24R)	
9		19. (37.38w18N)	18. (24w18N)	1.(6)
10	23.25. (12NMSL)	13.22.51.70.71.		
11	21.25. (12NMSL)	13.26.68.71		
12	44	13. (26w25R)	25. (21.22.23w25R)	
13	44	10.11.12. (26w25R)	25. (21.22.23w25R)	
14	x			
15	DET.			
16	19	(37.38w18R)	18. (24w18R)	
17			18	3.4.7.8
18		7		8.39
19		7.9		16
20	x			
21	22.23			4.11
22	(24or25)	2.3.10.48.51.56.65.69.70.73.74		21.26
23			25	2.3.10.21
24		25.36		(2).3.4.(7)(8)(22).37
25	52	24		(2).10.11.(22).27
26	22	4.11. (7.8w24R). (12.13w25R)	21.23. (18w24R)	27

X ORIGINAL DRAWN:
ISSUED:

W REG No 1175

WOOFFERTON JCN

LOCKING TABLE

S 2077 12/11

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
27	25.26		44	
28-35	x			
36		24		6(7)(8).38
37	24	2.3.4.7.8. (9W18N). (16W18R)	18.22.23	(39)
38	36	7.8. (9W18N). (16W18R)	18	(39)
39	18. (37or38)			
40-43	x			
44		51.53		12.13
45-46	x			
47	48	49.68		
48		22.51.56.65.69.70.73.74		47.49
49	48	47		
50	x			
51	52	10.22.44.48.65.68.69.70.71	53	
52		56.73.74		25.51.65.69.70.
53		44		70.71
54	x			
55	56	58.68		
56		22.48.52.73.74		55.58
57	x			
58	56	55		
59	x			
60	DET.			
61-64	x			
65	52	22.48.51.68.69.70	44.53	
66-67	x			

X ORIGINAL DRAWN:
ISSUED:

W REG No. 1175

WOOFFERTON JCN

LOCKING TABLE

S2977 / 3/2

No	RELEASED BY	LOCKS NORMAL	LOCKS BOTH WAYS	RELEASES
68		4.11. 47.51.55.65	21.22.48.52.56	75
69	52	22.48.51.65	44.53	
70	52.53. (69NMSL)	10.22.48.51.65		
71	53. (70NMSL)	10.11.51		
72	x			
73		22.48.52.56		75
74		22.48.52.56		75
75	68.73.74			
	CONTACTS 4 SPRING:	1.75		
	ELEC LOCKS 'N' 42Ω :	7.*69.*73.*68.*12.*74	* LOCK PORTS STEPPED	
	LOCKS CC NB.	9.16		
	LOCKS CC NBDR.	19		
	SHORT LEVERS	19.75		
	CONTACTS 2 SPRING 'N':	2.58		

X ORIGINAL DRAWN: 24-8-34 'E'
 W REG No. 1175
 ISSUED: 31-3-60

WOOFFERTON JCN
 LOCKING TABLE

H.T. 4"
 S 2977 / 3/3