

BRITISH RAILWAYS

(WESTERN REGION)

(For the use of Employees only)

*ack
19/11*


SIGNAL ALTERATIONS

New Colour Light, Down Main Home Signal—Ledbury Station

On **SUNDAY, 20th DECEMBER, 1959**, from 7.0 a.m. to 5.0 p.m., or until the work is completed, the Signal Engineer will be engaged at **LEDBURY STATION** in carrying out the following work :

SIGNALS

(a) Bringing into use the following new Signal :

Form	Description	Position	Distance from Box
	Three-aspect colour light, Down Main Home Signal. Height 17 feet 6 inches.	Up side of Up and Down Single Line.	180 yards.

SIGNAL ASPECTS

A **YELLOW ASPECT** WILL BE DISPLAYED WHEN THE LINE IS CLEAR TO THE DOWN STARTING SIGNAL ONLY.

A **GREEN ASPECT** INDICATES THAT THE DOWN STARTING AND DOWN ADVANCED STARTING SIGNALS ARE IN THE "CLEAR" POSITION.

NOTE—Only one aspect will be exhibited by this Signal at one time.

AN A.T.C. RAMP WILL **NOT** BE PROVIDED.

(b) Taking out of use the existing Down Main Home Bracket Signal.

SIGNALLING RECORD SOCIETY

www.s-r-s.org.uk

DIGITAL ARCHIVE

This PDF Copy is one of a number scanned by John Lacy using material from the SRS Archives. For a list of Digital Archive currently available visit the [Archive](#) section of the Society's Web Site and follow the links to the various sections.

The SRS is always willing to accept donations of any signalling or signalling related material for inclusion in the Society's Archive. Please contact the [Archivist](#) in the first instance.

If you have benefited from this PDF copy, why not [join](#) the Signalling Record Society and receive support for your researches and access to the Society's Archives

Members receive "The Signalling Record" six times annually plus a newsletter and have the opportunity to purchase SRS [books](#) and other [publications](#) at a discount. They also have access to back issues of The Newsletter and The Signalling Record which are only available to members. These contain a wealth of information accumulated since 1970, much of which is not readily available anywhere else.

In addition, Members have the opportunity to join signalling related visits to locations on the UK national and London Underground systems; and to other UK Railways.

To join the Signalling Record Society visit

www.s-r-s.org.uk/membform.html

TRACK CIRCUITS

The following new Track Circuits will be brought into use :

(a) In the Up and Down Single Line, 110 yards in length, to the rear of the new Down Main Colour Light Home Signal. A diamond sign will be provided on the Signal Post.

(b) In the Up and Down Main Lines, 56 yards in length, in advance of the new Down Main Colour Light Home Signal, through the Facing Points Single to Up Main Line.

OCCUPATION

Occupation of the Locking Frame will be required for the purpose of altering and testing the locking and DURING THE TIME THE WORK IS IN PROGRESS TRAINS WILL TRAVEL OVER THE SINGLE LINE BETWEEN LEDBURY STATION AND LEDBURY NORTH END UNDER PILOT WORKING ARRANGEMENTS.

During the time the work is in progress, the Up and Down Main Distant Signals will be disconnected and maintained at caution.

District Inspector LEVETT, of WORCESTER, to make all necessary arrangements for safe working of the line, including the appointment of handsignalmen, in accordance with Rule 77.

PLEASE ADVISE ALL CONCERNED AND ACKNOWLEDGE RECEIPT
IMMEDIATELY

WORCESTER.
15th December, 1959.
W.8116.

H. E. HALLETT,
District Operating Superintendent.