

/// Network SouthEast

**ALTERATIONS TO SIGNALLING
AND PERMANENT WAY**

at

SLADE GREEN DEPOT

MONDAY 14 DECEMBER 1992

DRIVERS TO KEEP A GOOD LOOK-OUT FOR HANDSIGNALS

New signalling will be brought into use as depicted on the enclosed diagram. Signals prefixed SG will be controlled from the Slade Green Control Room. All points and derailleurs in the depot will be power operated.

Berthing Shed Depot Protection

Depot protection signals LE6 - LE11 and DE6 - DE11 together with the suspended red and white lights indicating the position of the derailleurs at the exits to the shed (sidings 6 - 11) will be operated by the Designated Person Responsible for Protection. Sectional Appendix Part 4, "Protection of staff in depots and sidings" applies.

SIGNALLING RECORD SOCIETY

www.s-r-s.org.uk

DIGITAL ARCHIVE

This PDF Copy has been provided free of charge by David Allen in order to assist your research into UK signalling.

This file is one of a number scanned by David Allen using material from his own collection and from the collections of Phil Deaves, Robert Dey, David Ingham, Simon Lowe, John McCrickard, John Midcalf, Roger Newman, Richard Pulleyn and Chris Wolstenholmes. Thank you one and all. Many of the original documents are now in the SRS Archive or at the National Railway Museum.

You may also like to provide copies of Signalling Notices and Weekly (and periodical) Operating Notices as scans or as originals. The SRS is always willing to accept donations of any signalling or signalling related material for inclusion in the Society's Archive. Please contact the [Archivist](#) in the first instance.

For a list of PDFs currently available visit the list of [Weekly](#) Notices or [Signalling](#) Notices page.

If you have benefited from this PDF copy, why not [join](#) the Signalling Record Society and receive support for your researches and access to the Society's Archives

Members receive "The Signalling Record" six times annually plus a newsletter and have the opportunity to purchase SRS [books](#) and other [publications](#) at a discount. They also have access to back issues of The Newsletter and The Signalling Record which are only available to members. These contain a wealth of information accumulated since 1970, much of which is not readily available anywhere else.

In addition, Members have the opportunity to join signalling related visits to locations on the UK national and London Underground systems; and to other UK Railways.

To join the Signalling Record Society visit

www.s-r-s.org.uk/membform.html


SIGNAL APPLICATIONS		
Signal No.	Indication	Application
SG2	X H	D127 (Up North Kent) Limit of Shunt Down North Kent West Headshunt
SG5		Headshunt DB6 (Down North Kent)
SG6	D	Depot Sidings 1 - 13 & Washer Sdg
SG102		West Headshunt
SG105	W D	109 Washer Siding Depot Sidings 1 - 13
SG106		SG2
SG108		SG2
SG109		113 Washer Siding Lathe Siding
SG110		SG2
SG112		SG2
SG113	L M H	SG147 (Shed Roads 7 - 8) Maintenance Shed Roads 1 - 6 SG5
SG114		SG2
SG115	M H	Maintenance Shed Roads 1 - 6 SG5
SG117	M H	Maintenance Shed Roads 1 - 5 SG5
SG118		SG2
SG119		SG5

SIGNAL APPLICATIONS		
Signal No.	Indication	Application
SG120		SG2
SG121		SG5
SG122		SG2
SG123		SG5
SG124		SG2
SG125		SG5
SG126		SG2
SG127		SG5
SG128		SG2
SG129		SG5
SG130		SG2
SG132		SG2
SG134		SG102 (Washer Siding)
SG135		SG5
SG136		SG102 (Washer Siding)
SG137		SG5
SG139		SG5
SG140		SG136
SG141		SG5
SG142		SG136
SG143		SG5

SIGNAL APPLICATIONS

Signal No.	Indication	Application
SG144		SG132 (Siding 13) SG136 (Washer Siding)
SG146		SG130 (Siding 12) SG132 (Siding 13) SG136 (Washer Siding)
SG147	8 7	SG151 No.8 Road SG153 No.7 Road
SG148		SG130 (Siding 12) SG132 (Siding 13) SG136 (Washer Siding)
SG150		SG130 (Siding 12) SG132 (Siding 13) SG136 (Washer Siding)
SG151		No.8 Road
SG152		SG130 (Siding 12) SG132 (Siding 13) SG136 (Washer Siding)
SG153		No.7 Road
SG154		SG130 (Siding 12) SG132 (Siding 13) SG136 (Washer Road)
SG155		No.6 Road
SG157		No.5 Road
SG159		No.4 Road
SG161		No.3 Road
SG163		No.2 Road
SG165		No.1 Road

- ⊕ - GREEN ASPECT ⊖ - RED ASPECT
 - ⊙ - YELLOW ASPECT ⊗ - FLASHING YELLOW ASPECT
- } The Rule Book
Section C, Clause 3.1
-  - REFLECTORISED DISTANT BOARD The Rule Book, Section C, Clause 4.1.1
 -  - JUNCTION INDICATORS
 -  - ROUTE INDICATOR (Numeral indicates number of routes).
 -  - POSITION LIGHT SIGNAL Associated with main aspect
 -  - POSITION LIGHT SIGNAL Not associated with main aspect
 -  Y - As above but with YELLOW light instead of RED light.
- } The Rule Book
Section C,
Clause 3.3
- } The Rule Book
Section C,
Clause 3.2
-  } LIMIT OF SHUNT INDICATOR The Rule Book, Section C, Clause 5.3
 -  - BANNER REPEATER SIGNAL The Rule Book, Section C, Clause 5.1
 -  - AUTOMATIC SIGNAL The Rule Book, Section C, Clause 2.4
 -  - SEMI-AUTOMATIC SIGNAL The Rule Book, Section C, Clause 2.5
 -  - AWS INDUCTOR
 -  - AWS INDUCTOR-PERMANENT MAGNET
 -  - AWS INDUCTOR-OPERATIVE IN BOTH DIRECTIONS
 -  - AWS INDUCTOR-SUPPRESSED FOR MOVES IN DIRECTION OF ARROW
 -  - TELEPHONE
 -  - SIGNAL BOX
 -  - GROUND FRAME
 - R.B.C - RETURN BELL COMMUNICATION PLUNGER
 - T.R.T.S - TRAIN READY TO START PLUNGER
 -  - PLATFORM STARTING SIGNAL "OFF" INDICATOR
 -  - "DIAMOND" SIGN -The Rule Book, Section K, Clause 2.1.4 & 3.2
 -  - NOTICE BOARD OR SIGNAL WHICH IS FLOODLIT DURING DARKNESS
 - § - SPRING TRAILING POINTS
 - C&P - CLIPPED AND PADLOCKED
 - H.P - HAND OPERATED POINTS
 - T.A.C - TRAIN ARRIVED COMPLETE PLUNGER
- } The Rule Book
Appendix B,
- R - When shown as a suffix, with the number of a colour light signal, this denotes that the signal acts as distant for the signal ahead bearing the same number
 -  - SUPPORTED STRUCTURE
 -  - WARNING INDICATOR FOR PERMANENT SPEED RESTRICTION
 -  - "STOP" BOARD
 -  RA - RIGHT AWAY INDICATOR
 -  CD - CLOSE DOOR INDICATOR
- All distances in yards



NOTES:
 1. ALL DISTANCES ARE IN YARDS.
 2. * DENOTES DOOR/DERAILER INDICATING LIGHTS:
 RED - STOP
 WHITE - PROCEED