

SUPPLEMENTARY NOTICE OF SIGNALLING AND PERMANENT WAY ALTERATIONS

affecting the working of the line

from

SUNDAY 1 OCTOBER 1978

between

DECOY No.1 - BELMONT DOWN YARD- BRIDGE JUNCTION AND ST.JAMES JUNCTION

MO42,2006/1

SIGNALLING RECORD SOCIETY

www.s-r-s.org.uk

DIGITAL ARCHIVE

This PDF Copy has been provided free of charge by David Allen in order to assist your research into UK signalling.

This file is one of a number scanned by David Allen using material from his own collection and from the collections of Phil Deaves, Robert Dey, David Ingham, Simon Lowe, John McCrickard, John Midcalf, Roger Newman, Richard Pulleyn and Chris Wolstenholmes. Thank you one and all. Many of the original documents are now in the SRS Archive or at the National Railway Museum.

You may also like to provide copies of Signalling Notices and Weekly (and periodical) Operating Notices as scans or as originals. The SRS is always willing to accept donations of any signalling or signalling related material for inclusion in the Society's Archive. Please contact the <u>Archivist</u> in the first instance.

For a list of PDFs currently available visit the list of <u>Weekly</u> Notices or <u>Signalling</u> Notices page.

If you have benefited from this PDF copy, why not join the Signalling Record Society and receive support for your researches and access to the Society's Archives

Members receive "The Signalling Record" six times annually plus a newsletter and have the opportunity to purchase SRS <u>books</u> and other <u>publications</u> at a discount. They also have access to back issues of The Newsletter and The Signalling Record which are only available to members. These contain a wealth of information accumulated since 1970, much of which is not readily available anywhere else.

In addition, Members have the opportunity to join signalling related visits to locations on the UK national and London Underground systems; and to other UK Railways.

To join the Signalling Record Society visit

www.s-r-s.org.uk/membform.html

DECOY NO.1 - BELMONT YARD - BRIDGE JUNCTION AND ST. JAMES JUNCTION

During the period of work between Saturday 30 September and Monday 2 October - Belmont New Down Yard comprising an additional nine Sidings will be commissioned. The Bridge Jn. end of Belmont Yard Down Reception will become a Shunt Spur and the connections thereto at the Bridge Jn. end will be taken out of use. The following signalling/permanent way alteration will also be carried out.

Between Bridge Jn. and St. James Jn.

The Down Goods No.1 and Up Goods will be taken out of use pending removal. The TCB (Single line) Regulations will apply over the new Hexthorpe Single Goods line, which will be worked in both directions. (The former Up Goods at the St. James Junction end will form the new single line).

Between Decov No.1 and Bridge Jn.

The Wagon Shop Siding/Temporary Down Reception will be taken out of use.

The "No Block" Regulations will apply on the new Down Reception.

The former Down Departure (continuation of the Down Lincoln Flyover) will be re-instated as Down Slow No.2. The adjacent former Down Goods will be re-instated as Up Slow No.1 leading into and continuous with the Up Lincoln Flyover.

The Absolute Block Regulations will apply on these lines.

Permanent Way Alterations

New facing and trailing connections from Belmont Yard Down Reception to Down Slow No.2 will be commissioned. The adjacent "STOP FOR ORDERS" notice board, controlling movements into the Down Receptions will be abolished.

Alterations to Existing Signalling

Bridge Jn.

The bottom arm of the 2-arm miniature semaphore signal applying to set-back movements on the Down Goods Independent will be altered to apply towards Up Slow No.1 or to Down Reception.

Decoy No.1

DY243 (former Down Departure Signal) will be re-instated as Down Slow No.2 starting signal with all 4 aspects operational. The offset subsidiary will apply towards the Down Reception. All signal routes towards Wagon Shop Sidings/Temporary Down Reception will be abolished.

St. James Jn. A new semaphore arm signal, also a miniature arm and 3-way stencil route indicator will be provided on the post of the former Down Goods No.1 signal and this will apply to the new Down Hexthorpe Goods Single line (see description of signals).

A.W.S.

The automatic warning system will be provided on all Main line running signals.

General

A description of signals and a diagram illustrating the revised layout and signalling, inclusive of all work carried out on the Up side the previous week is included in this notice. During the period of this work, points and signals may be disconnected and Drivers will be handsignalled as necessary. Details of Engineer's possessions etc. will be included in the relevant weekly notices.

DECOY NO.1 - BELMONT YARD - BRIDGE JUNCTION AND ST. JAMES JUNCTION-continued

Description of Signals

DY = Decoy No.1 BJ = Bridge Jn.		SJ = St. James Junction		
No.	Line	Aspect M = Main S = Sub.	Route or Junction Indicator	Application to or towards
Down Di	rection			
BJ85	Down Slow No.2	Main (R/Y/ YY only) Sub		BJ55 Down Reception (BJ79)
BJ55	Down Slow No.2	Main (R/Y only)	Junction Indicator position "1"	Down Main* Down Goods Independent*
			Junction Indicator position "2"	Down Hexthorpe Goods*

* These routes are special to this signal and are of a temporary nature only.

SJ12	Down Hexthorpe Goods	Main arm		Down Goods
		miniature arm with sub	"R"	Down Reception
			"S"	Up Sidings West
11. B:			"G"	Down Goods Independent (line occupied)
Up Direction BJ49	Up Hexthorpe Goods	Main		Up Slow No.1 (BJ82)
		Sub	"D"	Down Reception (BJ73)
BJ82	Up Slow No.1	Main		DY244 (Up Slow No.1)
DY244	Up Slow No.1			Up Flyover DY236 (existing)
		Sub	"U"	Up Reception Sidings
			"D"	Down Reception Sidings
			"s"	Decoy Sidings

DECOY NO.1 - BELMONT YARD - BRIDGE JUNCTION AND ST. JAMES JUNCTION-continued Description of Signals - continued DY = Decoy No.1 BJ = Bridge Jn. SJ = St. James Junction

No.	Line	Aspect M = Main S = Sub	Route or Junction Indicator	Application to or towards	
Ground Po BJ58	osition Light Signals Shunt Spur			Down Reception (BJ73)	
BJ73	Down Reception			Down Slow No.2 line occupied or Down Reception line occupied or Down Sidings	
BJ79	Down Reception			Shunt Spur BJ55	
BJ78	Belmont Down Sdgs. 1 to 4			Down Reception , Shunt Spur) BJ55)	
8J71	Belmont Down Sdgs. 5 to 9			Down Reception) Shunt Spur) BJ55)	

The "position" numbers quoted in the column headed "Route or Junction Indicator" refer to Rule Book Section C 3.1.6.

Numbers on semaphore signals are shown for reference purposes only.

Varitype Unit No.472

