DDD Network SouthEast

ALTERATIONS TO SIGNALLING

AND PERMANENT WAY

IN THE ELY AREA

MONDAY 4 MAY 1992

and

MONDAY 11 MAY 1992

DRIVERS TO KEEP A GOOD LOOK-OUT FOR HAND SIGNALS

New track layout and signalling will be introduced as shown on the enclosed diagram.

The work will be commissioned in two stages, on the following dates:

MONDAY 4 MAY Chippenham Junction - Ely Dock Junction, Ely Dock Junction - Ely Station North level crossing.

MONDAY 11 MAY Kiln Lane level crossing - Ely North Junction, Ely North Junction - Manea, Littleport and Shippea Hill.

Soham, Ely Dock Junction, Ely Station North, Ely North Junction and Chettisham signal boxes will be abolished. Control of points and signals, also supervision of automatic half-barrier level crossings, will be from Cambridge (CA) signal box.

The Track Circuit Block Regulations will apply throughout.

Continued....

1.

SIGNALLING RECORD SOCIETY

www.s-r-s.org.uk

DIGITAL ARCHIVE

This PDF Copy has been provided free of charge by David Allen in order to assist your research into UK signalling.

This file is one of a number scanned by David Allen using material from his own collection and from the collections of Phil Deaves, Robert Dey, David Ingham, Simon Lowe, John McCrickard, John Midcalf, Roger Newman, Richard Pulleyn and Chris Wolstenholmes. Thank you one and all. Many of the original documents are now in the SRS Archive or at the National Railway Museum.

You may also like to provide copies of Signalling Notices and Weekly (and periodical) Operating Notices as scans or as originals. The SRS is always willing to accept donations of any signalling or signalling related material for inclusion in the Society's Archive. Please contact the <u>Archivist</u> in the first instance.

For a list of PDFs currently available visit the list of <u>Weekly</u> Notices or <u>Signalling</u> Notices page.

If you have benefited from this PDF copy, why not join the Signalling Record Society and receive support for your researches and access to the Society's Archives

Members receive "The Signalling Record" six times annually plus a newsletter and have the opportunity to purchase SRS <u>books</u> and other <u>publications</u> at a discount. They also have access to back issues of The Newsletter and The Signalling Record which are only available to members. These contain a wealth of information accumulated since 1970, much of which is not readily available anywhere else.

In addition, Members have the opportunity to join signalling related visits to locations on the UK national and London Underground systems; and to other UK Railways.

To join the Signalling Record Society visit

www.s-r-s.org.uk/membform.html

Ely Station

Additional AWS magnets are provided at signals CA274, 276, 278, 281, 283 and 285. Each one will normally be suppressed when the relevant signal is cleared.

If a driver is authorised to pass one of these signals at Danger, the horn (warning indicator) will sound when the train passes the signal.

If the horn (warning indicator) sounds on any other occasion as a train passes the signal, the train must be stopped immediately and the driver must contact the signalman.

Ely North Junction

The following special signal controls will apply:-

| CA295 | will | not | clear | to | proceed | aspect | unless | route | clear | ahead | of | CA305 |
|-------|------|-----|-------|----|---------|--------|--------|-------|-------|-------|----|-------|
| CA308 | •• | ** | " | ** | ** | ** | ** | " | ** | ** | ** | CA306 |
| CA802 | ** | ** | ** | " | ** | ** | ** | •• | ** | " | ** | CA800 |
| CA912 | •• | ** | " | ** | •• | ** | ** | *1 | ** | ** | ** | CA908 |

Between Ely North Junction and Ely West Junction


Until further notice, the Down Peterborough line and the Ely West Curve will be signalled only for movements in the down direction.

Signals CA301, R301, 301R, 910, 914 and 780 will therefore remain out of use, covered over.

The connection from the Up Peterborough line to the Down Peterborough line at Ely West Junction and the position 4 and 5 route indicators associated with signal CA916 will also be out of use.


Until further notice, Queen Adelaide (Peterborough Line) AHB level crossing will not be provided with wrong-direction controls for the Down line. Local operation will therefore be required for any up direction movement over the crossing on the Down line.


Euston March 1992 SS/GF/245 J. N. GIBBONS Operations Officer (NSE)




| | A(S) | SIDINGS | | PL | ST | S |
|-----|------|---------|-----|----|----|---|
| 273 | B(M) | DN MAIN | 281 | М | | |
| | B(S) | DN MAIN | 281 | PL | ST | D |

- -----







CAMBRIDGE TO LITTLEPORT

C.A.D. Produced