

Signal Instruction No. 25 S.W.D.

SOUTHERN REGION—SOUTH WESTERN DIVISION

-pp-4/5

Instructions to all concerned as to

INTRODUCTION OF COLOUR LIGHT SIGNALLING BETWEEN
COOKS CROSSING, LEATHERHEAD AND EFFINGHAM JUNCTION
AND

EXTENSION OF EXISTING TRACK CIRCUIT BLOCK WORKING
BETWEEN GUILDFORD AND EFFINGHAM JUNCTION TO COOKS
CROSSING AND LEATHERHEAD,

ALSO ABOLITION OF EFFINGHAM JUNCTION SIGNAL BOX

ON

SUNDAY, 20th APRIL 1969

Rules 77, 78, 79 and 80 to be observed. Drivers to keep a good look-out for hand signals.

Commencing at 00 10 on Sunday, 20th April, colour light signalling will be introduced as above, with an extension of track circuit block working.

SIGNALLING RECORD SOCIETY

<u>www.s-r-s.org.uk</u> DIGITAL ARCHIVE

This PDF Copy has been provided free of charge by David Allen in order to assist your research into UK signalling.

This file is one of a number scanned by David Allen using material from his own collection and from the collections of Phil Deaves, Robert Dey, David Ingham, Simon Lowe, John McCrickard, John Midcalf, Roger Newman, Richard Pulleyn and Chris Wolstenholmes. Thank you one and all. Many of the original documents are now in the SRS Archive or at the National Railway Museum.

You may also like to provide copies of Signalling Notices and Weekly (and periodical) Operating Notices as scans or as originals. The SRS is always willing to accept donations of any signalling or signalling related material for inclusion in the Society's Archive. Please contact the Archivist in the first instance.

For a list of PDFs currently available visit the list of <u>Weekly</u> Notices or <u>Signalling</u> Notices page.

If you have benefited from this PDF copy, why not join the Signalling Record Society and receive support for your researches and access to the Society's Archives

Members receive "The Signalling Record" six times annually plus a newsletter and have the opportunity to purchase SRS <u>books</u> and other <u>publications</u> at a discount. They also have access to back issues of The Newsletter and The Signalling Record which are only available to members. These contain a wealth of information accumulated since 1970, much of which is not readily available anywhere else.

In addition, Members have the opportunity to join signalling related visits to locations on the UK national and London Underground systems; and to other UK Railways.

To join the Signalling Record Society visit

www.s-r-s.org.uk/membform.html

At Leatherhead, the existing From Bookham Up Inner Home signal situated 419 yards from Leatherhead signal box will be abolished. The existing From Bookham Up Outer Home signal will in future be the From Bookham Up Home signal.

New controlled signals will be fitted with plates bearing prefix letters and number, the letters indicating the signal box from which they are controlled as follows:—

Signal Box			,	Prefix
Cooks Crossing		 		CK
Guildford		 		WX
Leatherhead	• • •	 		CBH

At Effingham Junction, signal WW.4 will be renumbered WX.38.

Automatic signals will be prefixed CA or WA.

Telephones will be provided at, or adjacent to, new signals and certain points, as indicated on the diagram.

Attention is drawn to signal CK.2 which, until further notice, will work as a 2-aspect signal (red or green) with the centre aspect obliterated.

Lamps, which flash with a white light to call the attention of the technician, will be fixed to certain apparatus cases in the area.

Full details of the new signalling are shown on the diagram accompanying this notice.

GUILDFORD EXTENSION OF SIGNALLING

(Effingham Junction)

LIST OF SIGNAL APPLICATIONS

Signal	Type R=Running S=Subsidiary	Indication	Application	
WX 40	R	Nil	Along Up Line	
	R	•••	From Up Line to Up Leatherhead	
WX 4I	S	Nil	Shunting from Down Line to Down Siding	
	R	Nil	Along Down Line	
WX 93	S	Nil	Shunting from Up Line to Down Siding or Down Line	
WX 96	S	Nil	Shunting from Down Siding to Up Line or Down Line	
WX 98	s	Nil	Shunting from Down Line to Up Line or back along Down Line	

G. A. WEEDEN

Divisional Manager, Wimbledon (PLG/R/SA.503/20/1)

Wimbledon April 1969 (B.R. 31330)


F. HARRISON


Divisional Manager, Croydon (R/SB.45/2)


	=	JUNCTION INDICATOR - Rule 35(e)
\bigcirc	=	GREEN ASPECT
\bigcirc	=	YELLOW ASPECT Rule 35(b)(i) and Rule 43
Θ	=	RED ASPECT
3	=	ROUTE INDICATOR (Numeral indicates total number of routes)
	=	POSITION LIGHT SUBSIDIARY SIGNAL (Draw ahead) - Rule 35(b)(iii) and Rule 44A.
		(Normally out-proceed aspect is two white lights at 45°)
$oldsymbol{\Theta}$	=	BANNER REPEATING SIGNAL - Rule 42
		Denotes AUTOMATIC SIGNAL - Rule 35 (c)(i)
		Denotes SEMI-AUTOMATIC SIGNAL - Rule 35 (c) (ii)
\triangle	=	A. W. S. INDUCTOR
P	=	TELEPHONE
	=	POSITION LIGHT SHUNTING SIGNAL-Rule 35(b)(iii) and Rule 47 (Normal indication—one red light on left and one white light on right in horizontal position. Proceed indication—Two white lights at 45°)
ΔY	=	As above but with YELLOW light instead of red light
		LIMIT OF SHUNT INDICATOR
	=	SIGNAL BOX
Ш	_	GROUND FRAME
•		RETURN BELL COMMUNICATION PLUNGER
●T.R.T.	5.=	TRAIN READY TO START PLUNGER
⊐-€	=	PLATFORM STARTING SIGNAL "OFF" INDICATOR
\Diamond	=	"DIAMOND" SIGN - Rule 55


ALL DISTANCES IN YARDS.

= NOTICE BOARD OR SIGNAL WHICH IS FLOODLIT DURING DARKNESS.










No. 25 SWD



No. 25 SWD

LEATHERHEAD CBH'

