C. J. Wool sterholmes,

Signal Instruction No. 28 S.E.D.



SOUTH EASTERN DIVISION

Instructions to all concerned as to

INTRODUCTION OF COLOUR LIGHT SIGNALS BETWEEN LEWISHAM AND WELLING; WESTCOMBE PARK AND PLUMSTEAD; BLACKHEATH AND CHARLTON

(in place of existing semaphore and colour light signals)

AND

ABOLITION OF BLACKHEATH 'A', BLACKHEATH 'B', ELTHAM (WELL HALL), CHARLTON, SAND STREET CROSSING AND WOOLWICH ARSENAL SIGNAL BOXES AND REDUCTION OF CHARLTON LANE CROSSING SIGNAL BOX TO A GATE BOX

ALSO

INTRODUCTION OF TRACK CIRCUIT BLOCK WORKING
BETWEEN NORTH KENT EAST JUNCTION AND
ST. JOHNS SIGNAL BOXES (VIA GREENWICH); ST. JOHNS AND
PLUMSTEAD AND ST. JOHNS AND WELLING SIGNAL BOXES

ON

SUNDAY, 15th MARCH, 1970

Rules 77, 78, 79 and 80 to be observed. Drivers to keep a good look-out for hand signals.

Commencing at 00 05 on Sunday, 15th March, 1970 4 aspect colour light signals will be brought into use in place of existing semaphore and colour light signals, together with track circuit block working

Charlton Lane Crossing signal box will be converted to a gate box and will continue to control the level crossing gates.

New controlled signals will be fitted with a plate bearing prefix letters and numbers, the letters indicate the signal box from which they are controlled as follows:—

Signal Box	Prefix	Letter
St. Johns		L
Welling		WL
Plumstead		PD
Charlton Lane Crossin	g	CL

Automatic stop signals will be prefixed by the letter A.

Certain of the new colour light signals will until further notice operate as 2 or 3 aspect signals, the aspect out of use being obliterated.

Telephones will be provided at or adjacent to the new signals and certain other locations as indicated on the enclosed diagram, the prefix letter indicating the signal box to which they communicate.

The two telephones at automatic signals A414 and A416 (down Greenwich line) will be in direct communication with St. Johns signal box.

Lamps which flash with a white light to call the attention of the Technician will be fixed to certain apparatus cases in the area.

Full details of the new signalling are shown on the enclosed diagram.

SIGNALLING RECORD SOCIETY

<u>www.s-r-s.org.uk</u> DIGITAL ARCHIVE

This PDF Copy has been provided free of charge by David Allen in order to assist your research into UK signalling.

This file is one of a number scanned by David Allen using material from his own collection and from the collections of Phil Deaves, Robert Dey, David Ingham, Simon Lowe, John McCrickard, John Midcalf, Roger Newman, Richard Pulleyn and Chris Wolstenholmes. Thank you one and all. Many of the original documents are now in the SRS Archive or at the National Railway Museum.

You may also like to provide copies of Signalling Notices and Weekly (and periodical) Operating Notices as scans or as originals. The SRS is always willing to accept donations of any signalling or signalling related material for inclusion in the Society's Archive. Please contact the Archivist in the first instance.

For a list of PDFs currently available visit the list of <u>Weekly</u> Notices or <u>Signalling</u> Notices page.

If you have benefited from this PDF copy, why not join the Signalling Record Society and receive support for your researches and access to the Society's Archives

Members receive "The Signalling Record" six times annually plus a newsletter and have the opportunity to purchase SRS <u>books</u> and other <u>publications</u> at a discount. They also have access to back issues of The Newsletter and The Signalling Record which are only available to members. These contain a wealth of information accumulated since 1970, much of which is not readily available anywhere else.

In addition, Members have the opportunity to join signalling related visits to locations on the UK national and London Underground systems; and to other UK Railways.

To join the Signalling Record Society visit

www.s-r-s.org.uk/membform.html

= JUNCTION INDICATOR - Rule 35(e) = GREEN ASPECT) = YELLOW ASPECT } Rule 35(b)(i) and Rule 43 = RED ASPECT 3 = ROUTE INDICATOR (Numeral indicates total number of routes) = POSITION LIGHT SUBSIDIARY SIGNAL (Drow ahead) -6. Rule 35(b)(iii) and Rule 44A. (Normally out-proceed aspect is two white lights at 45°) 0 = BANNER REPEATING SIGNAL - Rule 42 = Denotes AUTOMATIC SIGNAL - Rule 35 (c)(i) = Denotes SEMI-AUTOMATIC SIGNAL - Rule 35 (c) (ii) = A.W.S. INDUCTOR 中 = JELEPHONE = POSITION LIGHT SHUNTING SIGNAL - Rule 35(b)(iii) and Rule 47 60 (Normal indication - one red light on left and one white light on right in horizontal position. Proceed indication - Two white lights at 45°) = As above but with YELLOW light instead of red light CY = LIMIT OF SHUNT INDICATOR = SIGNAL BOX = GROUND FRAME 1111 () R.B.C. = RETURN BELL COMMUNICATION PLUNGER T.R.T.S. = TRAIN READY TO START PLUNGER = PLATFORM STARTING SIGNAL "OFF" INDICATOR = "DIAMOND" SIGN - Rule 55 = NOTICE BOARD OR SIGNAL WHICH IS FLOODLIT DURING DARKNESS.

ALL DISTANCES IN YARDS.

= KLAXON HORN

LIST OF SIGNAL APPLICATIONS

BLACKHEATH, ANGERSTEIN JN. AND CHARLTON

Signal No.	Type R—Running S—Subsidiary	Indication	Application	
	R	Nil	Along down North Kent line.	
	R	0000	From down North Kent line to down Bexleyheath line	
106 R	R	Nil ·	From Angerstein Wharf to down North Kent line.	
	S	Nil	From Angerstein Wharf to up North Kent line.	
107	R	Nil	Along up North Kent line.	
	S	Nil	From up North Kent line to Angerstein Wharf.	
113	R	0000	Along up North Kent line.	
	R	Nil	From up North Kent line to up Greenwich line.	
150	S	Nil	Shunting along Angerstein Wharf line.	
151	S	Nil	Shunting from down North Kent line to Angerstein Wharf.	

I Albemarle Road, Beckenham. February 1970 D. S. BINNIE
Divisional Manager

