

BRITISH RAILWAYS – WESTERN REGION

(For the use of employees only)

Notice to Enginemen, Guards, etc.

Introduction of Stage I (St. Fagans to Leckwith Junction) of the Cardiff Multiple Aspect Signalling Scheme

SATURDAY and SUNDAY, 13th and 14th November, 1965

Between the hours of 2200 Saturday, 13th and 1600 Sunday, 14th November, or until completion of work the Chief Signal and Telecommunications Engineer and Divisional Civil Engineer will be engaged in introducing the first stage of this scheme and will bring into use multiple aspect colour light signalling and continuous track circuiting on the Up and Down Main Lines between St. Fagans and Leckwith Junction.

The aspects displayed by the new signals and the identification plates borne by them will be generally in accordance with the description on pages 18, 19, 20, 21 and 22 of the Regional Appendix except as subsequently modified by Rules 44 (A) and 55 (g).

Signal Boxes to be taken out of use

Ely Station Signal Box will be taken out of use and all signalling controlled from this box will be recovered.

Signals to be recovered

The Up Distant at Leckwith Junction and all existing signals at St. Fagans, with the exception of the Up Distant will be recovered.

Alterations to layout

At St. Fagans a new spring catch point in the Down Main Line brought into use.

A.W.S. Ramps

A.W.S. Ramps will be provided as shown on the attached sketch, 200 yards to the rear of the signal to which they apply.

Track Circuits

Existing Track Circuits will be re-arranged or re-named and new track circuits brought into use giving continuous track circuiting on the Up and Down Main Lines between St. Fagans and Leckwith Junction.

SIGNALLING RECORD SOCIETY

www.s-r-s.org.uk

DIGITAL ARCHIVE

This PDF Copy has been provided free of charge by David Allen in order to assist your research into UK signalling.

This file is one of a number scanned by David Allen using material from his own collection and from the collections of Phil Deaves, Robert Dey, David Ingham, Simon Lowe, John McCrickard, John Midcalf, Richard Maund, Richard Pulleyn, Roger Newman and Chris Wolstenholmes. Thank you one and all. Many of the original documents are now in the SRS Archive or at the National Railway Museum.

You may also like to provide copies of Signalling Notices and Weekly (and periodical) Operating Notices or other notices as scans or as originals. The SRS is always willing to accept donations of any signalling or signalling related material for inclusion in the Society's Archive. Please contact the [Archivist](#) in the first instance.

For a list of PDFs currently available visit the [Archives](#) pages of the SRS Web Site.

If you have benefited from this PDF copy, why not [join](#) the Signalling Record Society and receive support for your researches and access to the Society's Archives

Members receive "The Signalling Record" six times annually plus a newsletter and have the opportunity to purchase SRS [books](#) and other [publications](#) at a discount. They also have access to back issues of The Newsletter and The Signalling Record which are only available to members. These contain a wealth of information accumulated since 1970, much of which is not readily available anywhere else.

In addition, Members have the opportunity to join signalling related visits to locations on the UK national and London Underground systems; and to other UK Railways.

To join the Signalling Record Society visit

www.s-r-s.org.uk/membform.html

Block arrangements

Track Circuit Block Working will apply on the Up and Down Main Lines between St. Fagans and Leckwith Junction and a single stroke bell will be provided for train description.

Telephones

Telephones giving exclusive communication with the signalman at St. Fagans will be provided at Signals SF5, SF42 and DMI73.

Telephones giving exclusive communication with the Signalman at Leckwith Junction will be provided at signals UMI73, UMI72 and LJI.

Occupation of Locking Frames

Occupation of the locking frames at St. Fagans and Leckwith Junction will be required for the purpose of altering and testing the locking.

Occupation arrangements

The Block Sections throughout the occupation will be as follows:—

- Pontsarn Crossing to St. Fagans.
- St. Fagans to Leckwith Junction.
- Leckwith Junction to Canton Sidings.
- Leckwith Junction to Penarth Curve North.

Pontsarn Crossing to St. Fagans

Block Telegraph for the Up Main Line will be out of use from 2200 hours on Saturday, 13th November and Block Regulation 25 (a) (iii) will apply until revised interlinking arrangements for signal SF42 are completed. Normal Block working will be maintained for the Down Line.

St. Fagans signal SF42 will display a red indication and will function as the Up Main Home Signal throughout the occupation.

St. Fagans to Leckwith Junction

Block Telegraph will be out of use as from 2200 hours on Saturday, 13th November and Block Regulation 25 (a) (iii) will apply throughout the occupation on the Up and Down Main Lines.

St. Fagans Signal SF5 will display a red indication and will function as the Down Home signal throughout the occupation.

Leckwith Junction Signal LJI will display a red indication as from 2200 hours on Saturday, 13th November and will function as the Up Main Home Signal throughout the occupation.

District Inspector Fry to make all arrangements for safe working, including the appointment of the necessary handsignalmen in accordance with Rule 77.

ACKNOWLEDGE RECEIPT


30th October, 1965.
Cardiff (Extn. 2470).

R. C. HILTON,
Divisional Manager.

Received copy of Notice W.W.202 re introduction of Stage I of Cardiff Multiple Aspect Signalling Scheme—St. Fagans to Leckwith Junction.

.....DateSignature
.....Dept.Station

To: Divisional Manager, Cardiff (WW/PWS/39).



⊗ YELLOW
 ⊗ GREEN
 ⊗ YELLOW
 ⊗ RED

⊗ GREEN
 ⊗ YELLOW
 ⊗ RED

⊗ ASPECT NOT IN USE

▲ A.W.S. RAMP

