

BRITISH RAILWAYS - WESTERN REGION

(For the use of Employees only)

G.P. Barlow
CP 60NOTICE TO TRAINMEN ETC.SIGNAL ALTERATIONSOLD OAK COMMON-PARK ROYAL-GREENFORD STATION EASTSATURDAY 14 JULY TO MONDAY 16 JULY 1979.

Between 08.00 hrs. Saturday 14 July 1979 and 06.00 hrs. Monday 16 July 1979 or until completion, the Divisional Signal and Telecommunications Engineer will be engaged in carrying out the following work :-

Park Royal Signalbox together with all its associated signalling will be taken out of use. A new 6-lever ground frame to be known as 'Park Royal Ground Frame' will be brought into use. It will be released from Old Oak Common Signalbox and operate points, facing point lock and signals, marked 'X' on the sketch. The remaining mains connections will be recovered and all other connections in the Up Sidings will be converted to hand operation.

New colour light signals will be introduced as shown in heavy type on the attached sketch. The ground position light signal in the Up Siding will display a yellow normal aspect.

All signals worked from Park Royal Signalbox will also be recovered except :-

<u>Signal Name</u>	<u>Notes</u>
Up Main Distant	Renamed 00339R
Up Main Starting	Converted to automatic signal and renamed UW4
Down Main Home	Renamed 00320

Greenford Station East's Down Main Distant signal (G57) will have a red aspect fitted and be renamed Down Main Home. The existing Down Main Home signals will become the Down Main Intermediate Home signals. The existing Up Main Advanced Starting signal will be recovered and replaced by G43 as shown on the attached sketch.

Track Circuits

New track circuits will be introduced and existing ones re-arranged as appropriate.

Block Arrangements

The existing block sections Old Oak Common-Park Royal-Greenford Station East will be revised to become track circuit block between Old Oak Common and Greenford Station East. Train description will be by 4 digit type train describers.

Telephones

New telephones to Old Oak Common Signalbox will be provided at Signals 00322, 00339 and at Park Royal Ground Frame. A new telephone to Greenford Station East Signalbox will be provided at Signal G57. The existing telephones at 00320 and UW4 will also be connected to Old Oak Common Signalbox.

Occupation of Old Oak Common Panel will be required for the purpose of alteration and testing.

Occupation of the locking frame at Greenford Station East will be required for the purpose of alteration and testing.

continued /

SIGNALLING RECORD SOCIETY

www.s-r-s.org.uk

DIGITAL ARCHIVE

This PDF Copy has been provided free of charge by David Allen in order to assist your research into UK signalling.

This file is one of a number scanned by David Allen using material from his own collection and from the collections of Phil Deaves, Robert Dey, David Ingham, Simon Lowe, John McCrickard, John Midcalf, Richard Maund, Richard Pulleyn, Roger Newman and Chris Wolstenholmes. Thank you one and all. Many of the original documents are now in the SRS Archive or at the National Railway Museum.

You may also like to provide copies of Signalling Notices and Weekly (and periodical) Operating Notices or other notices as scans or as originals. The SRS is always willing to accept donations of any signalling or signalling related material for inclusion in the Society's Archive. Please contact the [Archivist](#) in the first instance.

For a list of PDFs currently available visit the [Archives](#) pages of the SRS Web Site.

If you have benefited from this PDF copy, why not [join](#) the Signalling Record Society and receive support for your researches and access to the Society's Archives

Members receive "The Signalling Record" six times annually plus a newsletter and have the opportunity to purchase SRS [books](#) and other [publications](#) at a discount. They also have access to back issues of The Newsletter and The Signalling Record which are only available to members. These contain a wealth of information accumulated since 1970, much of which is not readily available anywhere else.

In addition, Members have the opportunity to join signalling related visits to locations on the UK national and London Underground systems; and to other UK Railways.

To join the Signalling Record Society visit

www.s-r-s.org.uk/membform.html

During the occupation the Distant signals affected viz Up and Down Main at Greenford, will be disconnected and maintained at Caution. At Old Oak Common, Signal 00118(C) will be disconnected and maintained at Red.

All arrangements for the safe working of the line, including the appointment of any Handsignalmen should be made by the Area Manager, Paddington.

SIGNALS AFFECTED

OLD OAK COMMON-PARK ROYAL-GREENFORD STATION EAST

SATURDAY 14 JULY TO MONDAY 16 JULY 1979

Between 08.00 hrs. Saturday 14 July 1979 and 08.00 hrs. Monday 15 July 1979 until completion, the Divisional Signal and Telecommunications Engineer will be engaged in carrying out the following work :-

Four Royal Signalboxes together with all its associated apparatus will be taken out of use. A new 6-lever ground frame to be known as 'Park Royal Ground Frame' will be brought into use. It will be released from Old Oak Common Signalbox and operate points, locking point lock and signals, marked 'X' on the sketch. In releasing main connections will be recovered and all other connections. Up Signals will be converted to hand operation.

J.P. Marson
Divisional Manager
READING
JUNE 1979

Set colour light signals will be introduced as shown in heavy type on the sketch. The ground position light signal in the Up Signal will display normal aspect.

All signals worked from Park Royal Signalbox will also be recovered except :-

Signal Name	Notes
Up Main Signal	Replaced 0077R
Up Main Signal	Converted to automatic signal and replaced 0077R
Down Main Signal	Replaced 0078D

Greenford Station Main Down Main Distant signal (027) will have a red aspect fitted and be replaced Down Main Home. The existing Down Main Home signal will become the Down Main Intermediate Home signal. The existing Up Main Intermediate signal will be recovered and replaced by 047 as shown on the attached sketch.

Track Circuits

New track circuits will be introduced and existing ones re-arranged as appropriate.

Block Arrangements

The existing block sections Old Oak Common-Park Royal-Greenford Station East will be revised to become track circuit block between Old Oak Common and Greenford Station East. Train description will be by 4 digit type train descriptors.

Signalling

Signalling to Old Oak Common Signalbox will be provided at Signal 0052R. A new telephon to Greenford Station East will be provided at Signal 027. The existing telephon at 0030 and 004 will also be connected to Old Oak Common Signalbox.

Operation of Old Oak Common Signal will be required for the purpose of alternative working.

Operation of the locking frame at Greenford Station East will be required for the purpose of alternative working.

OLD OAK COMMON-PARK ROYAL-GREENFORD STATION EAST

