GREAT WESTERN RAILWAY.

(For the use of the Company's servants only.)

LITTLE SOMERFORD-NEW LOOPS.

Between the hours of 11.0 p.m. on Saturday, 14th June and 6.0 p.m. on Thursday, 19th June, 1941, the Signal Engineer will be engaged in bringing into use new Up and Down Loops and the following signals:—

Form.	Description.	Position.	Distance from Box	
A	Up Main Outer Advanced Starting.	Up Side of Line.	1020 yards	
B	Up Main Advanced Starting.	Between Up Loop and Up Main.	558 yards.	
c	Up Goods Loop to Main Starting.	Up Side of Loop.	558 yards.	
2	Down Main Lieme. Down Main to Down Loop Home.	Down Side of Line.	623 yards.	
2 = E	Down Main Inner Home. Down Main to Platform Inner Home.	Between Down Main and Down Loop.	63 yards.	

SIGNALLING RECORD SOCIETY

<u>www.s-r-s.org.uk</u> DIGITAL ARCHIVE

This PDF Copy has been provided free of charge by David Allen in order to assist your research into UK signalling.

This file is one of a number scanned by David Allen using material from his own collection and from the collections of Phil Deaves, Robert Dey, David Ingham, Simon Lowe, John McCrickard, John Midcalf, Roger Newman, Richard Pulleyn and Chris Wolstenholmes. Thank you one and all. Many of the original documents are now in the SRS Archive or at the National Railway Museum.

You may also like to provide copies of Signalling Notices and Weekly (and periodical) Operating Notices as scans or as originals. The SRS is always willing to accept donations of any signalling or signalling related material for inclusion in the Society's Archive. Please contact the Archivist in the first instance.

For a list of PDFs currently available visit the list of <u>Weekly</u> Notices or <u>Signalling</u> Notices page.

If you have benefited from this PDF copy, why not join the Signalling Record Society and receive support for your researches and access to the Society's Archives

Members receive "The Signalling Record" six times annually plus a newsletter and have the opportunity to purchase SRS <u>books</u> and other <u>publications</u> at a discount. They also have access to back issues of The Newsletter and The Signalling Record which are only available to members. These contain a wealth of information accumulated since 1970, much of which is not readily available anywhere else.

In addition, Members have the opportunity to join signalling related visits to locations on the UK national and London Underground systems; and to other UK Railways.

To join the Signalling Record Society visit

www.s-r-s.org.uk/membform.html

Form.	Description.	Position.	Distance from Box.	
F Tacher	Down Loop to Platform Inner Home.	Down Side of Line.	63 yards.	
1	1	per)		

Occupation of the locking frame will be required for alterations.

The existing Up Main Advanced Starting and the Down Main Home and Down Main to Platform Line Home (Bracket signal) and connection, also the Double Compound in Up Siding, will be taken out of use.

New arrangement of Loops and connections will be as shewn on sketch.

The following Track Circuits will be brought into use:-

		Position of Diamond Sign	
UP MAIN.			
Outer Advanced Starting.	406 yards.	On Signal.	
Advanced Starting.	381 yards.	On Signal.	
Through Points No 50 from Up*Loop.	66 yards.	Nil.	
UP LOOP.	7.0 4.0		
Through Points No. 50 to Main Facing.	55 yards.	Nil.	
Starting.	200 yards.	On Signal.	
	Outer Advanced Starting. Advanced Starting. Through Points No 50 from Up Loop. UP LOOP. Through Points No. 50 to Main Facing.	Outer Advanced Starting. Advanced Starting. 381 yards. Through Points No 50 from Up'Loop. UP LOOP. Through Points No. 50 to Main Facing. 55 yards.	

Track circuit in rear of signal named below.	Length of track.	Position of Diamond Sign.
DOWN MAIN.	1	12. T.
Home.	200 yards.	On Signal.
Through Points No. 66 to Down Loop Facing.	70 yards.	Nil.
	DOWN MAIN. Home. Through Points No. 66 to Down Loop	DOWN MAIN. Home. 200 yards. Through Points No. 66 to Down Loop 70 yards.


District Inspector Old to make arrangements for safe working in accordance with Rule 77 and provide the necessary hand signalmen.

ACKNOWLEDGE RECEIPT TO HEAD OF DEPARTMENT.

Temple Meads Station. Bristol, June, 1941. R. G. POLE, Superintendent of the Bristol Division.

Received	Notice	No. 5.1001	re New	Loops,	Little	Somerrord	
							Department
		•					Station.
			-				Signature.

Mr. R. G. Pole,
Divisional Superintendent's Office,
Bristol.



LITTLE SOMERFORD.

