PRIVATE AND NOT FOR PUBLICATION. Signal Notice No. S.1886.

GREAT WESTERN RAILWAY.

(For the use of the Company's servants only.)

HULLAVINGTON-NEW LOOPS

On **Sunday, July 6th, 1941**, between the hours of 6.30 a.m. and 7.0 p.m. the Signal Engineer will be engaged in bringing into use new Up and Down Loops and the following signals :--

. Form.	Description.	Position.	Distance from Box.
	 Up Main Home. Up Main to Up Loop Home. Up Loop Indicator. 	Down side of Down Main.	976 yards.
B 2-1'	 Down Main Home. Down Main to Down Loop Home. Down Loop Indicator. 	Down side of Down ^y Main.	620 yards.
	 Down Loop Starting. (Already in existence.) 	Down side of New Down Goods Loop.	79 yards.
•	Down Loop to Down Main Starting.	and the second se	180 yards.

New connections will be provided as shewn on the sketch.

SIGNALLING RECORD SOCIETY

www.s-r-s.org.uk

DIGITAL ARCHIVE

This PDF Copy has been provided free of charge by David Allen in order to assist your research into UK signalling.

This file is one of a number scanned by David Allen using material from his own collection and from the collections of Phil Deaves, Robert Dey, David Ingham, Simon Lowe, John McCrickard, John Midcalf, Roger Newman, Richard Pulleyn and Chris Wolstenholmes. Thank you one and all. Many of the original documents are now in the SRS Archive or at the National Railway Museum.

You may also like to provide copies of Signalling Notices and Weekly (and periodical) Operating Notices as scans or as originals. The SRS is always willing to accept donations of any signalling or signalling related material for inclusion in the Society's Archive. Please contact the <u>Archivist</u> in the first instance.

For a list of PDFs currently available visit the list of <u>Weekly</u> Notices or <u>Signalling</u> Notices page.

If you have benefited from this PDF copy, why not join the Signalling Record Society and receive support for your researches and access to the Society's Archives

Members receive "The Signalling Record" six times annually plus a newsletter and have the opportunity to purchase SRS <u>books</u> and other <u>publications</u> at a discount. They also have access to back issues of The Newsletter and The Signalling Record which are only available to members. These contain a wealth of information accumulated since 1970, much of which is not readily available anywhere else.

In addition, Members have the opportunity to join signalling related visits to locations on the UK national and London Underground systems; and to other UK Railways.

To join the Signalling Record Society visit

www.s-r-s.org.uk/membform.html

The existing Down Main Advanced Starting Signal will be moved 184 yards arther from the signal box; no alteration in height or form.

Telephones to signal box are provided at the spring points inside the Up and Down Loops.

The undermentioned track circuits will be brought into use :-

Track Circuit in rear of Signal named below.	Length of Track.	Position of Train Waiting Indicator.	
UP MAIN.			
Through Points No. 9.	59 yards.	Nil.	
DOWN MAIN.			
Through Points No. 31.	80 yards.	Nil.	
Down Main Home, Down Main to Down Loop Home.	221 yards.	On signal.	
Down Advanced Starting.	497 yards.	On signal.	

While the work is in progress, District Inspector Old to make the necessary arrangements for safe working in accordance with Rule 77 and provide the necessary handsignalmen.

ACKNOWLEDGE RECEIPT TO HEAD OF DEPARTMENT.

TEMPLE MEADS STATION, BRISTOL, June, 1941.

R. G. POLE,

Superintendent of the Bristol Division.

Received Notice S.1886, re Hullavington-New Loops.

.....Department.

..... Signature.

......Station.

.

Mr. R. G. POLE,

Divisional Superintendent's Office, Bristol.



