PRIVATE AND NOT FOR PUBLICATION.

Signal Notice No. S.1987.

GREAT WESTERN RAILWAY.

(For the use of the Company's servants only.)

NEW UP AND DOWN GOODS LOOPS-CASTLE CARY.

Between the hours of 7.0 a.m. Sunday, March 21st, and 4.0 p.m. Sunday, March 28th, 1943, or until completion, the Signal Engineer will be engaged in bringing into use New Up and Down Goods Loops together with additional signalling :--

New Signals.

Form. Description.		Position.	Distance from Box.	
, 📖 i '	1. Up Main Starting.	Up side of Up Main.	273 yards.	
2	2. Up Main to Goods Loop Starting.			
A I			10	
-	Up Main Advanced Starting.	Between Up Main and Up Goods Loop.	994 yards.	
в		ه بهران در در ۵ مربع در ۲۵ ور ا	Color Color	
•	Up Goods Loop to Main Advanced Starting.	Up side of Up Goods Loop.	994 yards.	
¢ 1		No de contra comercia		
	Down Main Distant. (A.T.C. Ramp will be fixed 440 yards to the rear of this signal.)	Down side of Down Main.	2.120 yards	
· D		and a Malan Carden of	diama di	
· · · · ·	1. Down Main Home.	Down side of Down Main:	1,020 yard	
	 Down Main to Down Goods Loop Home. 	i the state of the state		
1				

SIGNALLING RECORD SOCIETY

www.s-r-s.org.uk

DIGITAL ARCHIVE

This PDF Copy has been provided free of charge by David Allen in order to assist your research into UK signalling.

This file is one of a number scanned by David Allen using material from his own collection and from the collections of Phil Deaves, Robert Dey, David Ingham, Simon Lowe, John McCrickard, John Midcalf, Roger Newman, Richard Pulleyn and Chris Wolstenholmes. Thank you one and all. Many of the original documents are now in the SRS Archive or at the National Railway Museum.

You may also like to provide copies of Signalling Notices and Weekly (and periodical) Operating Notices as scans or as originals. The SRS is always willing to accept donations of any signalling or signalling related material for inclusion in the Society's Archive. Please contact the <u>Archivist</u> in the first instance.

For a list of PDFs currently available visit the list of <u>Weekly</u> Notices or <u>Signalling</u> Notices page.

If you have benefited from this PDF copy, why not join the Signalling Record Society and receive support for your researches and access to the Society's Archives

Members receive "The Signalling Record" six times annually plus a newsletter and have the opportunity to purchase SRS <u>books</u> and other <u>publications</u> at a discount. They also have access to back issues of The Newsletter and The Signalling Record which are only available to members. These contain a wealth of information accumulated since 1970, much of which is not readily available anywhere else.

In addition, Members have the opportunity to join signalling related visits to locations on the UK national and London Underground systems; and to other UK Railways.

To join the Signalling Record Society visit

www.s-r-s.org.uk/membform.html

..... Signals-continued.

Form.	Description.	Position.	Distance from Box
31	I. Down Main to Taunton Inner Home.	Down side of Down Main.	86 yards.
	2. Down Main to Weymouth Inner Home.		
	(I and 2 already in use).	D MNOG CAN HI	VV VV JAL V Z
und name or anti-transfer a	3. Down Main to Down Goods Loop Inner Home.	L. Had a Guide and Andrea De Line Dawn Colda	1. Str. 1
-	1. Down Goods Loop Inter- mediate Home.	Between Down Goods Loop and Down Sidings.	6. S. S. M. S. S.
G	2. Down Goods Loop to Down Main Intermediate Home.		57 57 57
i den la la companya de	A A A A A A A A A A A A A A A A A A A		
Seed EV Se	in a second	Constraint of Strain of	
-	Down Siding Starting.	Down side of Down Siding.	319 yards.
	and the second second	Comments by the	
He Line and	and the policity succession	and the second sec	al an an
4	Down Goods Loop Inner Home Route Indicator.	Down side of Down Goods Loop.	67 yards.
ŢÊ	To Down Goods Loop. To Weymouth (via Main). To Taunton.		
,	· · · · · ·	and an and a start of the second s	
Ļ	CONSTRUCTION OF	put the second second second	0
•	Down Goods Loop Starting.	Down side of Down Goods Loop.	153 yards.
J	$\sum_{i=1}^{N} \sum_{j=1}^{N} \sum_{i=1}^{N} \sum_{i=1}^{N} \sum_{i=1}^{N} \sum_{j=1}^{N} \sum_{i$	 spinale Derived spinale State spinale State spinale State 	
1	South Sugar	South States	
	Backing from Up Main Route Indicator.	Fixed on Platform Up side of Up Main.	115 yards.
	To Down Goods Loop. To Taunton. To Weymouth.	nada parta di Alemana Alemana Alemana di Alemana	
КY	To Goods Shed.		111 (L
	A CARLES STORE	1	

New Signals-continued.

23.11	20122	100 - 24	Con March	4413101	n-
201.14	22 M.S.	det.	OF ALL T	20.004	3

Form.	1 Description.	Position.	Distance from Box.	
L	Stop Lamp.	Down side of Down Goods Loop. At catchpoints at entrance to Loop.	840 yards.	
production of the start	1.1			

The following signals will be renamed :-

Existing.

Down Main Home. Up Weymouth Inner Home. Up Taunton Inner Home. Up Main Starting. To Become.

Down Main Intermediate Home. Up Weymonth Intermediate Home. Up Taunton Intermediate Home. Up Main Inner Home.

The following signals will be taken out of use :--

Up Main Advanced Starting.

Down Refuge Siding Starting.

Down Main Distant. The A.T.C. Ramp fixed 440 yds. in the rear of this signal will be taken out of use.

New connections and independent discs will be provided as shewn on sketch.

Three Shot Detonator placer-machines will be provided at the Up Main Home Signals from Taunton and Weymouth.

Occupation of the locking frame will be required for the purpose of altering and testing.

Distant signals affected will be disconnected and placed at caution during the occupation.

Telephones.

MARINE

Telephones will be provided at Catchpoints at entrance and midway in the Down Goods Loop, also at the exit of the Up Goods Loop.

Guards must advise the Signalman at Castle Cary that their trains have arrived complete with tail lamp, in accordance with the instructions 'on page 86 [Clause 8 (b)] of the Regulations for Signalling Trains and Engines over Goods Running Loop Lines.

Take Ever Shike a

Signal Box.	Track Circuit in rear of Signal named below.	Length of Track.	Position of Diamond Sign.
Castle Cary	Up Main Starting	282 yards.	On Up Main Starting Signal.
	Up Main Advanced Starting	635 yards.	On Up Main Advanced Starting Signal.
	Up Goods Loop to Main Advanced Starting.	200 yards.	On Up Goods Loop to Main Advanced Starting Signal.
	Down Main Home	540 yards.	On Down Main Home Signal.
	Down Main Intermediate Home	520 yards.	On Down Main Intermediate Hom
Hone.	Down Main Inner Home	250 yards.	Signal. On Down Main Inner Hom Signal.

New Track Circuits.

District Inspector Roberts, Yeovil, to make arrangements for safe working in accordance with Rule 77, and provide the necessary handsignalmen.

ACKNOWLEDGE RECEIPT TO HEAD OF DEPARTMENT.

all scines of Land small

the maximum in the share of the share the

ide sincer consus is barries the to


much and a grad or him and the state

TEMPLE MEADS STATION, BRISTOL, March, 1943. R. G. POLE, Superintendent of the Bristol Division.

Received Notice No. S.1987, re New Loops-Castle Cary.

.......Department.Station.Signature.

Mr. R. G. POLE, Divisional Superintendent's Office Bristol.



SPRING POINTS. 30AT DOWN GOODS LOOP T